













- (2) The increase of the road roughness has little effect on the vehicle's brake property, but will reduce the stability and ride comfort of the vehicle in braking.
- (3) When a vehicle is running on the separated road, a big surface friction coefficient difference between the left and right roads will be quite harmful to brake property and steering stability.

### CONFLICT OF INTEREST

The authors confirm that this article content has no conflict of interest.

### ACKNOWLEDGEMENTS

The National Natural Science Foundation of China (11472180) the Natural Science Foundation of Hebei Province (E2012210025) and the New Century Talent Foundation of Ministry of Education (NCET-13-0913) support this work.

### REFERENCES

- [1] S. Michael and J.P. Michael, H. Qiang, "Simulation of vehicle longitudinal dynamics", Technical report ESL 04-01, Embedded systems Laboratory, University of Leicester, England, October 11, 2004.
- [2] X.M. LI and H. TANG, "Numerical emulation of car braking dynamics model on superhighway", *J. Syst. Simulat.*, vol. 19, no. 3, pp. 668-670, February, 2007.
- [3] J. WEI and H. XIE, "Modeling and simulation of driving integrated car based on Simulink", *J. Tianjin Univ. of Technol. Educ.*, vol. 17, no.2, pp. 38-42, June, 2007.
- [4] M. Nakazawa, O. Isobe, and S. Takahashi, "Braking force distribution control for improved vehicle dynamics and brake performance", *Vehicle Syst. Dyn.*, vol. 24, pp. 413-426, 1995.
- [5] K. J. Li, K. Deng, and Q. S. Xia, "Load transfer of the tractor-semitrailer combination when braking and its effect on braking performance", *Agric. Mach.*, vol. 38, no. 11, pp. 17-21, November, 2007.
- [6] K.H. Guo, *Vehicle Handling Dynamics*, Nanjing: Jiangsu Science and Technology Press, 2011.
- [7] Y. J. Lu, S. P. Yang, and S.H. Li, "Numerical and experimental investigation on stochastic dynamic load of a heavy duty vehicle", *Appl. Math. Model.*, vol. 34, no. 10, pp. 2698-2710, October, 2010.
- [8] K. Jeon H. Hwang, and S. Choi, "Development of an electric active roll control algorithm for a Suv", *Int. J. Automot. Technol.*, vol. 13, no. 2, pp. 247-253, January, 2012.
- [9] S. H. Li, C. S. Jiang, and J. Y. Wu, "Structural optimization of a heavy-duty truck based on a virtual prototype model", *Appl. Mech. Mat.*, vol. 253-255, pp. 2121-2124, December, 2012.
- [10] N. X. Song, J. Su, and D.J. Wang, "Braking stability of tractor-semitrailer running on curve", *J. Traffic Transport. Eng.*, vol. 10, no. 1, pp. 50-55, January, 2010.
- [11] X. Q. Zhang, B. Yang, C. Yang, and G.N. Xu, "Research on ABS of multi-axle truck based on ADAMS/Car and Matlab/Simulink", *Proced. Eng.*, vol. 37, pp. 120-124, May, 2012.
- [12] S. H. Li, H. W. Huang, and C. Li, "ABS fuzzy control of heavy vehicle based on virtual prototype technology", *Sci. Technol. Rev.*, vol. 31, no. 2, pp. 5-11, January, 2013.
- [13] S. H. Li, S. P. Yang, and L. Q. Chen, "Effects of parameters on dynamic responses for a heavy vehicle-pavement-foundation coupled system", *Int. J. Heavy Vehicle Syst.*, vol. 19, no. 2, pp. 207-224, June, 2012.
- [14] Dongfeng DFL1250A8, DFL1250A9 truck chassis refit manual. Dongfeng Motor Group Company Limited, China, April, 2008. [Online]. Available; <http://zhpt.dfl.com.cn/pipms/pip/data/download.jsp?id=40934>
- [15] GB/T 7031-2005/ISO 8608:1995, "Mechanical vibration-road surface profiles-Reporting of measured data", January 1, 2006. [E-book] Available; Amazon.com

Received: January 8, 2015

Revised: January 15, 2015

Accepted: January 16, 2015

© Li et al.; Licensee Bentham Open.

This is an open access article licensed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted, non-commercial use, distribution and reproduction in any medium, provided the work is properly cited.